#### SECOND REGULAR SESSION

#### HOUSE COMMITTEE SUBSTITUTE FOR

# **HOUSE BILL NO. 1867**

## 97TH GENERAL ASSEMBLY

5229H.02C

D. ADAM CRUMBLISS, Chief Clerk

# **AN ACT**

To repeal sections 319.015, 319.016, 319.022, 319.024, 319.025, 319.026, 319.027, 319.028, 319.029, 319.030, 319.035, 319.040, 319.041, 319.045, and 319.050, RSMo, and to enact in lieu thereof thirteen new sections relating to underground facility safety, with an effective date.

Be it enacted by the General Assembly of the state of Missouri, as follows:

Section A. Sections 319.015, 319.016, 319.022, 319.024, 319.025, 319.026, 319.027,

- 319.028, 319.029, 319.030, 319.035, 319.040, 319.041, 319.045, and 319.050, RSMo, are
- repealed and thirteen new sections enacted in lieu thereof, to be known as sections 319.015,
- 319.022, 319.024, 319.025, 319.026, 319.027, 319.030, 319.031, 319.033, 319.035, 319.045,
- 319.046, and 319.050, to read as follows:
  - 319.015. For the purposes of sections 319.010 to 319.050, the following terms mean:
  - (1) "Approximate location", a strip of land not wider than the width of the underground facility plus two feet on either side thereof. In situations where reinforced concrete, multiplicity of adjacent facilities or other unusual specified conditions interfere with location attempts, the owner or operator shall designate to the best of his or her ability an approximate location of
- greater width; 6 7

2

8

9

- (2) "Design request", a request from any person for facility location information for design purposes only;
  - (3) "Emergency", [either:
- 10 (a) a sudden, unexpected occurrence, presenting a clear and imminent danger demanding immediate action to prevent or mitigate loss or damage to life, health, property, or essential 11
- public services. "Unexpected occurrence" includes, but is not limited to, thunderstorms, high 12

EXPLANATION — Matter enclosed in bold-faced brackets [thus] in the above bill is not enacted and is intended to be omitted from the law. Matter in **bold-face** type in the above bill is proposed language.

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

3334

35

36

37

38

39

40

41

42

43

44

45

46 47

48

winds, ice or snow storms, fires, floods, earthquakes, or other soil or geologic movements, riots, accidents, water or wastewater pipe breaks, vandalism, or sabotage[; or

- (b) Any interruption in the generation, transmission, or distribution of electricity, or any damage to property or facilities that causes or could cause such an interruption];
- (4) "Excavation", any operation in which earth, rock or other material in or on the ground is moved, removed or otherwise displaced by means of any tools, equipment or explosives and includes, without limitation, backfilling, grading, trenching, digging, ditching, pulling material from a ditch but not including routine road maintenance, drilling, well-drilling, augering, boring, tunneling, scraping, cable or pipe plowing, plowing-in, pulling-in, ripping, driving, and demolition of structures, except that, the use of mechanized tools and equipment to break and remove pavement and masonry down only to the depth of such pavement or masonry on roads dedicated to the public use for vehicular traffic, [the use of pressurized air to disintegrate and suction to remove earth, rock and other materials,] the tilling of soil for agricultural [or seeding] purposes when such excavation does not exceed fifteen inches in depth, [and] the installation of marking flags and stakes and the use of pressurized air to disintegrate and suction to remove earth, rock, or other materials for the location of underground facilities [that are not driven shall not be deemed excavation. Backfilling or moving earth on the ground in connection with other excavation operations at the same site shall not be deemed separate instances of excavation. For railroads regulated by the Federal Railroad Administration, "excavation" shall not include any excavating done by a railroad when such excavating is done entirely on land that the railroad owns or on which the railroad operates, or in the event of an emergency, excavating done by a railroad on adjacent land;
- (5) "Excavator", any person making one or more excavations who is required to make notices of excavation under the requirements of sections 319.010 to 319.050;
- (6) "Locate status", the underground facility owner's designation of the status of the locate request to the notification center which then makes that information available to the person making the locate request through electronic or other means;
- (7) "Marking", the use of paint, flags, stakes, or other clearly identifiable materials to show the field location of underground facilities, or the area of proposed excavation, in accordance with [the color code standard of the American Public Works Association. Unless otherwise provided by the American Public Works Association, the following color scheme shall be used: blue for potable water; purple for reclaimed water, irrigation and slurry lines; green for sewers and drain lines; red for electric, power lines, cables, conduit and lighting cables; orange for communications, including telephone, cable television, alarm or signal lines, cable or conduit; yellow for gas, oil, steam, petroleum or gaseous materials; white for proposed excavation; pink for temporary marking of construction project site features such as centerline

and top of slope and toe of slope] the marking standards for underground facilities as designated by the Common Ground Alliance Best Practices Version 10.0 except that "approximate location" shall comply with the requirements as set forth in subdivision (1) of this section;

- [(7)] (8) "Notification center", a statewide organization operating twenty-four hours a day, three hundred sixty-five days a year on a not-for-profit basis, supported by [its participants, or by more than one operator of underground facilities, having as its principal purpose the statewide receipt and dissemination to participating owners and operators of underground facilities of information concerning intended excavation activities in the area where such owners and operators have underground facilities, and open to participation by any and all such owners and operators on a fair and uniform basis. Such notification center shall be governed by a board of directors elected by the membership and composed of representatives from each general membership group, provided that one of the board members shall be a representative of the state highways and transportation commission so long as the commission is a participant in the notification center] a majority of the underground facility owners in the state of Missouri;
- [(8)] (9) "Notification center participant", an underground facility owner who is a member and participant in the notification center;
- [(9)] (10) "Permitted project", a project for which a permit for the work to be performed is required to be issued by a local, state or federal agency and, as a prerequisite to receiving such permit, the applicant is required to notify all underground facility owners in the area of the work for purposes of identifying the location of existing underground facilities;
- [(10)] (11) "Person", any individual, firm, joint venture, partnership, corporation, association, cooperative, municipality, political subdivision, governmental unit, department or agency and shall include a notification center and any trustee, receiver, assignee or personal representative thereof;
- [(11)] (12) "Pipeline facility" includes[, without limitation, new and existing pipe, rights-of-way, and any equipment, facility, or building used or intended for use in the transportation of gas or the treatment of gas, or used or intended for use in the transportation of hazardous liquids including petroleum, or petroleum products] all parts of a facility through which a hazardous liquid or gas moves in transportation including, but not limited to, pipe, valves and other appurtenances connected to pipe, pumping units, fabricated assemblies associated with pumping units, metering and delivery stations and fabricated assemblies therein, and breakout tanks;
- [(12) "Preengineered project", a project which is approved by an agency or political subdivision of the state and for which the agency or political subdivision responsible for the project, as part of its engineering and contract procedures, holds a meeting prior to the

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

commencement of any construction work on such project and in such meeting all persons determined by the agency or political subdivision to have underground facilities located within the excavation area of the project are invited to attend and given an opportunity to verify or inform any agency or political subdivision of the location of their underground facilities, if any, within the excavation area and where the location of all known underground facilities are duly located or noted on the engineering drawing as specifications for the project;

- (13) "State plane coordinates", a system of locating a point on a flat plane developed by the National Oceanic and Atmospheric Administration and utilized by state agencies, local governments, and other persons to designate the site of a construction project;
- (14) "Trenchless excavation", horizontal excavation parallel to the surface of the earth which does not use trenching or vertical digging as the primary means of excavation, including but not limited to directional boring, tunneling, or augering;
- (15) "Underground facility", any item of personal property which shall be buried or placed below ground for use in connection with the storage or conveyance of water, storm drainage, sewage, telecommunications service, cable television service, electricity, oil, gas, hazardous liquids or other substances, and shall include but not be limited to pipes, sewers, conduits, cables, valves, vaults, lines, wires, manholes, attachments, or appurtenances, and those portions of pylons or other supports below ground that are within any public or private street, road or alley, right-of-way dedicated to the public use or utility easement of record, or prescriptive easement. If gas distribution lines or electric lines, telecommunications facilities, cable television facilities, water service lines, water system, storm drainage or sewer system lines, other than those used for vehicular traffic control, lighting of streets and highways and communications for emergency response, are located on private property and are owned solely by the owner or owners of such private property, such lines or facilities receiving service shall not be considered underground facilities for purposes of this chapter, except at locations where they cross or lie within an easement or right-of-way dedicated to public use or owned by a person other than the owner of the private property. Water and sanitary sewer lines providing service to private property that are owned solely by the owner of such property shall not be considered underground facilities at any location. A structure that transports storm water drainage under roadways, driveways, or railways shall not be considered an underground facility. [Water, storm drainage, cross road drainage, or sewer lines owned by the state highways and transportation commission shall not be considered underground facilities at any location. For railroads regulated by the Federal Railroad Administration, "underground facility" as used in sections 319.015 to 319.050 shall not include any excavating done by a railroad when such excavating is done entirely on land which the railroad owns or on which the railroad operates, or in the event of emergency, on adjacent land];

121 (16) "Underground facility owner", any person who owns or operates underground facilities [as defined by this section];

- 123 (17) "Working day", every day, except Saturday, Sunday or a legally declared [local,] 124 state or federal holiday.
  - Administration, who installs or otherwise owns or operates an underground facility shall become a participant in a notification center upon first acquiring or owning or operating such underground facility. [Except as provided in section 319.016, all owners and operators of underground facilities within the state shall maintain participation in a notification center.] All underground facility owners within the state shall maintain participation in a notification center for the duration of owning and operating such underground facility. Such notification center shall be governed by a board of directors elected by the members hip and composed of representatives from the general members hip group.
  - 2. [All owners and operators of underground facilities which are located in a county of the first classification or second classification within the state who are not members of a notification center on August 28, 2001, shall become participants in the notification center prior to January 1, 2003. Any person who installs or otherwise becomes an owner or operator of an underground facility which is located within a county of the first classification or second classification on or after January 1, 2003, shall become a participant in the notification center within thirty days of acquiring or operating such underground facility. Beginning January 1, 2003, all owners and operators of underground facilities which are located in a county of the first classification or second classification within the state shall maintain participation in the notification center except as provided otherwise in section 319.016.
  - 3. All owners and operators of underground facilities which are located in a county of the third classification or fourth classification within the state who are not members of a notification center on August 28, 2001, shall become participants in the notification center prior to January 1, 2005. Any person who installs or otherwise becomes an owner or operator of an underground facility which is located within a county of the third classification or fourth classification on or after January 1, 2005, shall become a participant in the notification center within thirty days of acquiring or operating such underground facility. Beginning January 1, 2005, all owners and operators of underground facilities which are located in a county of the third classification or fourth classification within the state shall maintain participation in the notification center except as provided otherwise in section 319.016.
  - 4.] The notification center shall maintain in its offices and make available to any notification center participant or excavator upon request a current list of the names and addresses of each notification center participant, including the county or counties wherein each participant

39

40

41

14

15

16

17

18

20

21

22

23

24

25

26

has underground facilities. The notification center may charge a reasonable fee to notification center participants or excavators requesting such list as is necessary to recover the actual costs of printing and mailing.

- [5.] **3.** Excavators shall be informed of the availability of the list of notification center participants [required in subsection 3 of this section in the manner provided for in section 38 319.024].
  - [6.] **4.** An annual audit or review of the notification center shall be performed by a certified public accountant and a report of the findings submitted to the speaker of the house of representatives and the president pro tem of the senate.
- 319.024. 1. Every person owning or operating an underground facility shall assist excavators and the general public in determining the location of underground facilities before excavation activities are begun or as may be required by subsection 6 of section 319.026 or subsection 1 of section 319.030 after an excavation has commenced. Methods of informing the public and excavators of the means of obtaining such information may, but need not, include advertising, including advertising in periodicals of general circulation or trade publications, information provided to professional or trade associations which routinely provide information 8 to excavators or design professionals, or sponsoring meetings of excavators and design professionals for such purposes. Information provided by the notification center on behalf of 10 persons owning or operating an underground facility shall be deemed in compliance with this 11 section by such persons. [Every person owning or operating underground facilities who has a 12 written policy in determining the location of its underground facilities shall make available a 13 copy of said policy to any notification center participant or excavator upon request.
  - 2. Every person owning or operating underground pipeline facilities shall, in addition to the requirements of subsection 1 of this section:
  - (1) Identify on a current basis persons who normally engage in excavation activities in the area in which the pipeline is located. Every such person who is a participant in a notification center shall be deemed to comply with this subdivision if such notification center maintains and updates a list of the names and addresses of all excavators who have given notice of intent to excavate to such notification center during the previous year and provided the notification center shall, not less frequently than annually, provide public notification and actual notification to all excavators on such list of the existence and purpose of the notification center, and procedures for obtaining information from the notification center;
  - (2) Either directly or through the notification center, notify excavators and the public in the vicinity of his or her underground pipeline facility of the availability of the notification center by including the information set out in subsection 1 of section 319.025 in notifications required

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

by the safety rules of the Missouri public service commission relating to its damage prevention program;

- 29 (3) Notify excavators annually who give notice of their intent to excavate of the type of 30 marking to be provided and how to identify the markings.
- 319.025. 1. Except as provided in subsection [3] 4 of section 319.030 and in section 319.050, a person shall not make or begin any excavation in any public street, road or alley, right-of-way dedicated to the public use or utility easement of record or within any private street or private property without first giving notice to the notification center and obtaining information concerning the possible location of any underground facilities which may be affected by said excavation from underground facility owners whose names appear on the current list of participants in the notification center and who were communicated to the excavator as notification center participants who would be informed of the excavation notice. [Prior to January 1, 2003, a person shall not make or begin any excavation pursuant to this subsection 10 without also making notice to owners or operators of underground facilities which do not 11 participate in a notification center and whose name appears on the current list of the recorder of 12 deeds in and for the county in which the excavation is to occur. Beginning January 1, 2003, 13 Notice to the notification center of proposed excavation shall be deemed notice to all owners and 14 operators of underground facilities. The notice referred to in this section shall comply with the 15 provisions of section 319.026.
  - 2. An excavator's notice to owners and operators of underground facilities participating in the notification center pursuant to section 319.022 is ineffective for purposes of subsection 1 of this section unless given to such notification center. [Prior to January 1, 2003, the notice required by subsection 1 of this section shall be given directly to owners or operators of underground facilities who are not represented by a notification center.]
  - 3. Notification center participants shall be relieved of the responsibility to respond to a notice of intent to excavate received directly from the person intending to commence an excavation, except for requests for clarification of markings through on-site meetings as provided in subsection 1 of section 319.030 and requests for locations at the time of an emergency as provided by section 319.050.
  - 4. [If the owner or operator notifies the excavator that the area of excavation cannot be determined from the description provided by the excavator through the notice required by this section, the excavator shall provide clarification of the area of excavation by markings or by providing project plans to the owner or operator, or by meeting on the site of the excavation with representatives of the owner or operator as provided by subsection 1 of section 319.030.
- 5.] Notwithstanding the provisions of this section to the contrary, a person shall not make or begin any excavation in any state highway, or on the right-of-way of any state highway,

33 without first obtaining a permit from the state highways and transportation commission pursuant

- 34 to section 227.240, provided however, the provisions of this subsection shall not apply to
- 35 railroad right-of-way owned or operated by a railroad.
- 319.026. 1. An excavator shall serve notice of intent to excavate to the notification center by toll-free telephone number operated on a twenty-four hour per-day, seven day per-week basis or by facsimile or by completing notice via the internet at least two working days, but not more than ten working days, before the expected date of commencing the excavation activity. The notification center receiving such notice shall inform the excavator of all notification center
- 6 participants to whom such notice will be transmitted and shall promptly transmit all details of 7 such notice provided under subsection 2 of this section to every notification center participant
- 8 in the area of excavation.

11

12 13

14

15

16

17

18

21

22

23

24

25

26

27

28

29

30

- 9 2. Notices of intent to excavate given pursuant to this section shall contain the following information:
  - (1) The name and telephone number of the person filing the notice of excavation, if the telephone number is different than that of the excavator, and the name, address, telephone number of the excavator and whether the excavator's telephone is equipped with a recording device;
  - (2) The date the excavation activity is expected to commence, the depth of planned excavation and, if applicable, that the use of explosives is anticipated on the excavation site, and the type of excavation being planned, including whether the excavation involves trenchless excavation;
- 19 (3) The facsimile number, email address, and cellular telephone number of the excavator, 20 if any;
  - (4) The name of the person primarily responsible for conducting the excavation or managing the excavation process, and if any of the information stated in subdivision (1) or (3) of this subsection is different for the person primarily responsible for the excavation, the notice shall also state the same information for that person;
  - (5) A detailed description accepted by the notification center sufficient for the location of the excavation by any one or more of the following means: by reference to a specific street address, or by description of location in relation to the nearest numbered, lettered, or named state or county road or city street for which a road sign is posted, or by latitude and longitude including the appropriate description in degrees, minutes, and seconds, or by state plane coordinates;
- 31 (6) A description of the site of excavation by approximate distance and direction from 32 the nearest state or county road or city street or intersection of such roads or streets unless

previously provided under subdivision (5) of this subsection, and the proximity of the site to any prominent landmarks;

- (7) A description of the location or locations of the excavation at the site described by direction and approximate distance in relation to prominent features of the site, such as existing buildings or roadways;
- (8) Directions as to how to reach the site of the excavation from the nearest such road, if the excavation is not on or near a posted numbered, lettered, or named state or county road or city street.
- 3. The notification center receiving such notice shall solicit all information required by subsection 2 of this section and shall require the excavator to provide all such information before notice by the excavator is deemed to be completed pursuant to sections 319.015 to 319.050. The notification center shall transmit all details of such notice as required by this section.
- 4. A record of each notice of intent to excavate shall be maintained by the notification center [or, prior to January 1, 2003, by the nonmember owner or operator receiving direct notifications] for a period of five years. The record shall include the date the notice was received and all information required by subsection 2 of this section which was provided by the excavator and a record of the underground facility owners notified by the notification center. If the notification center creates a record of the notice by telephonic recording, such record of the original notice shall be maintained for one year from the date of receipt. Records of notices to excavate maintained by the notification center in electronic form shall be deemed to be records under this subsection. Persons holding records of notices of intent to excavate and records of information provided to the excavator by the notification center or owner or operator of the facility, shall make copies of such records available for a reasonable copying fee upon the request of the owner or operator of the underground facilities or the excavator filing the notice.
- 5. If in the course of excavation the person responsible for the excavation operations discovers that the owner or operator of the underground facility who is a participant in a notification center has incorrectly located the underground facility, he or she shall notify the notification center which shall inform the [notification center participant. If the owner or operator of the underground facility is not a participant in a notification center prior to the January 1, 2003, effective date for mandatory participation pursuant to section 319.022, the person responsible for the excavation shall notify the owner.] underground facility owner. The underground facility owner shall respond to the incorrect locate notification within two hours of receipt of the notification by contacting the person responsible for the excavation or by correctly locating their underground facility. The person responsible for maintaining records of the location of underground facilities for the notification center participant shall correct such records to show the actual location of such facilities, if current records are incorrect.

- 6. When markings have been provided in response to a notice of intent to excavate, excavators may commence or continue to work within the area described in the notice for so long as the markings are visible. If an excavator is unable to begin the excavation within ten working days as described in the request, the excavator shall make a relocate request before beginning the excavation. If markings become unusable due to weather, construction or other cause, the excavator shall contact the notification center to request remarking. Such notice shall be given in the same manner as original notice of intent to excavate, and the owner or operator shall remark the site in the same manner, within the same time, as required in response to an original notice of intent to excavate. Each excavator shall exercise reasonable care not to unnecessarily disturb or obliterate markings provided for location of underground facilities. If remarking is required due to the excavator's failure to exercise reasonable care, or if repeated unnecessary requests for remarking are made by an excavator even though the markings are visible and usable, the excavator may be liable to the owner or operator for the reasonable cost of such remarking. Nothing in this section shall allow any person other than the facility owner or their representative to mark or relocate any underground facility.
- 7. Before commencing excavation, the excavator shall determine best practices for confirming the horizontal and vertical location of facilities at the site of excavation considering conditions at the site including geology, access to the site, and the presence of paved surfaces. Hand digging or soft digging shall be used as a best practice when possible.
- 8. In the event of any damage, dislocation, or disturbance of any underground facility in connection with any excavation, the person responsible for the excavation operations shall notify the notification center. This subsection shall be deemed to require reporting of any damage, dislocation, or disturbance to trace wires, encasements, cathode protection, permanent above-ground stakes, or other such items utilized for protection of the underground facility. The excavator shall immediately contact 911 when any damage or contact with a pipeline results in a release from the pipeline of hazardous liquid or gas to occur.
- 9. In the event of any damage, dislocation, or disturbance to any underground facility or any protective devices required to be reported by the excavator under subsection 8 of this section in advance of or during the excavation work, the person responsible for the excavation operations shall not conceal or attempt to conceal such damage, dislocation, or disturbance, nor shall that person attempt to make repairs to the facility unless authorized by the underground facility owner. In the case of sewer lines or facilities, emergency temporary repairs may be made by the excavator after notification without the owners' or operators' authorization to prevent further damage to the facilities. Such

emergency repairs shall not relieve the excavator of responsibility to make notification as required by subsection 8 of this section.

- 10. No later than April 1, 2015, and each year thereafter, each underground facility owner who owns or operates electric, gas, or pipeline facilities shall submit to a central repository designated by the notification center a report of damages experienced by its facilities for the prior calendar year. The notification center shall determine the minimum information to be reported. All data submitted shall be aggregated and anonymous. Information provided by the underground facility owner specific to damage data submitted shall be accessible only to the underground facility owner unless otherwise designated by the underground facility owner.
- 319.027. 1. Any person may make design requests by contacting the notification center. Such design requests shall include all information deemed necessary by the notification center to complete the notice, including the identification of the person and a description of the location of the project being designed and other information similar to that required of excavators under section 319.026.
- 2. Design requests shall be made to the notification center at least five working days, but not more than ten working days, before the date the person has requested receiving the information from the underground facility owner. Upon receipt of a design request, the notification center shall inform the person of the name of all notification center participants to whom the notice will be transmitted and shall promptly transmit such notice to the appropriate underground facility owners.
- 3. Every underground facility owner who receives a design request shall mark the location of the facility, or contact the person making the request, within five working days after the date the notice was received from the notification center. If the person making the request was contacted as an alternative to marking location, the person and the underground facility owner shall mutually agree on a schedule and method for providing the information, provided that the facility shall be marked within five working days if the facility owner and the person making the request are unable to agree.
- 4. No excavation may be commenced based upon information received through a design request. Obtaining information through a design request shall not excuse any person commencing an excavation from making notice and obtaining information under sections 319.025 and 319.026 concerning the possible location of any underground facilities which may be affected.
- 319.030. 1. Every person owning or operating an underground facility to whom notice of intent to excavate is required to be given shall, upon receipt of such notice as provided in this section from a person intending to commence an excavation, inform the excavator as promptly

as practical, but not in excess of two working days, unless [otherwise mutually agreed,] the 5 excavator agrees to extend the start date and time provided in the locate request through methods established by the notification center, of the approximate location of underground 7 facilities in or near the area of the excavation so as to enable the person engaged in the excavation work to locate the facilities in advance of and during the excavation work, provided that no excavation shall begin earlier than the scheduled excavation date provided on the 10 locate request unless the excavator has confirmed that all underground facilities have been 11 **located.** The two working days provided for notice in this subsection and subsection 1 of section 12 319.026, shall begin at 12:00 a.m. following the receipt of the request by the notification center. 13 Each underground facility owner receiving notifications from the notification center by use 14 of the internet shall, after December 31, 2014, use the locate status system provided by the 15 notification center. Those underground facility owners that do not receive notifications by use of the internet shall, no later than January 1, 2016, provide locate status to the 16 17 notification center by an alternate method provided by the notification center. [If the 18 information available to the owner or operator of a pipeline facility or an underground electric 19 or communications cable discloses that valves, vaults or other appurtenances are located in or 20 near the area of excavation, the owner or operator shall either inform the excavator of the 21 approximate location of such appurtenances at the same time and in the same manner as the 22 approximate location of the remainder of the facility is provided, or shall at such time inform the 23 excavator that appurtenances exist in the area and provide a telephone number through which 24 the excavator may contact a representative of the owner or operator who will meet at the site 25 within one working day after request from the excavator and at such meeting furnish the 26 excavator with the available information about the location and nature of such appurtenances.] 27 If the excavator states in the notice of intent to excavate that the excavation will involve 28 trenchless technology, the owner or operator shall inform the excavator of the depth, to the best 29 of his or her knowledge or ability, of the facility according to the records of the owner or 30 operator. The owner or operator shall provide the approximate location of underground facilities 31 by use of markings as designated in section 319.015. [If flags or stakes are used, such marking 32 shall be consistent with the color code and other standards for ground markings.] Persons 33 representing the excavator and the owner or operator shall meet on the site of excavation within 34 two working days of a request by either person for such meeting for the purpose of clarifying markings, or upon agreement of the excavator and owner or operator, such meeting may be an 36 alternate means of providing the location of facilities by originally marking the approximate 37 location of the facility at the time of the meeting. If upon receipt of a notice of intent to excavate, an owner or operator determines that he or she neither owns or operates underground 38 39 facilities in or near the area of excavation, the owner or operator shall within two working days

after receipt of the notice, inform the excavator that the owner or operator has no facilities located in the area of the proposed excavation. The owner or operator of the underground facility shall make notice to the excavator that no facilities are located in the area of excavation by contacting the excavator by any of the following methods:

- (1) By calling the primary number of the excavator or by calling the telephone number of the responsible person as provided by the excavator under subdivision (4) of subsection 2 of section 319.026;
  - (2) By leaving a message on the recording device for such numbers;
  - (3) By calling the cellular telephone number of the excavator or responsible person;
- (4) By notifying the excavator by facsimile or electronic mail at numbers or addresses stated by the excavator in the notice of excavation made under subsection 2 of section 319.026;
  - (5) By marking "clear" or "OK" at the site of excavation; [or]
  - (6) By verbally informing the excavator in person.

If the only means of contacting the excavator is one or more telephone numbers provided by the excavator in the notice of excavation under section 319.026, then two attempts by the underground facility owner to contact the excavator at one of the telephone numbers provided shall constitute compliance with this subsection; or

### (7) By use of a locate status system.

- 2. A record of the date and means of informing the excavator that no facilities were located by the owner or operator shall be included in the written records of the underground facility owner regarding each specific notice of excavation and shall be retained for a period of five years.
- 3. If the owner or operator notifies the excavator that the area of excavation cannot be determined from the description provided by the excavator through the notice required by this section, the excavator shall provide clarification of the area of excavation by marking the area with white flags or white paint, or by providing project plans to the owner or operator, or by meeting on the site of the excavation with representatives of the owner or operator as provided for in this section.
- 4. In the event that a person owning or operating an underground facility fails to comply with the provisions of subsection 1 of this section after notice given by an excavator in compliance with section 319.026, the excavator, prior to commencing the excavation, shall give a second notice to the notification center as required by section 319.026 stating that there has been no response to the original notice given under section 319.026. After the receipt of the notice stating there has been "no response", the owner or operator of an underground facility shall, within two hours of the receipt of such notice, mark its facilities or contact and inform the excavator of when the facilities will be marked; provided, however, that for "no response"

HCS HB 1867 14

83

3

7

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

76 notices made to the notification center by 2:00 p.m., the markings shall be completed on the 77 working day the notice is made to the notification center, and provided that for "no response" 78 notices made to the notification center after 2:00 p.m., the markings shall be completed no later than 10:00 a.m. on the next working day. If an underground facility owner fails to mark its 79 80 facilities or contact the excavator as required by this subsection, the excavator may commence the excavation. Nothing in this subsection shall excuse the excavator from exercising the degree 81 82 of care in making the excavation as is otherwise required by law.

- [4.] 5. For purposes of this section, a period of two working days begins at 12:00 a.m. 84 following when the request is made.
  - 319.031. 1. In addition to the other requirements of section 319.030, the response to a notice of intent to excavate received by a sewer system owner, when such owner has underground facilities located in the area of excavation identified in the notice and when the notice indicates that trenchless excavation methods will be used, shall include a determination of whether sewer service connections exist or are likely to exist in the area of the excavation.
  - 2. If the sewer system owner determines that sewer service connections exist or are likely to exist in the area of the excavation identified in a notice of intent to excavate, the owner shall provide his or her best available information regarding the location of such connections to the excavator by any of the following methods:
  - (1) Placing a triangular green mark at the approximate location of the sewer service connection pointing in the direction of the customer structure serviced;
    - (2) Providing electronic copies of the information to the excavator;
  - (3) Delivering copies of the information to the excavator by facsimile or by other agreed upon means; or
  - (4) Arranging to meet the excavator at the site of the excavation to provide the information.
  - 3. Providing the best available information regarding the location of sewer service connections that exist or are likely to exist in the area of excavation identified in a notice of intent to excavate shall constitute full compliance with this section, and a sewer system owner shall not be liable to any party for damages or injuries resulting from an excavation if they are in compliance with this section.
  - 4. Providing the best available information regarding the location of sewer service connections that exist or are likely to exist in the area of excavation identified in a notice of intent to excavate shall not in and of itself constitute ownership, operation, control, or management of sewer service lines by a sewer system owner.

3

4

6

8

9

10

11

12

13

14

15

16

319.033. If new lateral sewer pipes or water service lines are installed or connected from or to an underground facility within the public right-of-way, as defined in section 319.015, or if such infrastructure is repaired, replaced, or rehabilitated within the public 4 right-of-way, the contractor, utility, or person conducting the installation, connection, repair, replacement, or rehabilitation shall be required to place a meter pit and cleanout at the edge of the public right-of-way. Trace wire shall be placed in the meter pit for ease of access and shall be designed to give approximate locations of the underground lateral sewer pipe or water service line to mark the location of such pipes and lines in those areas that are located within a public right-of-way, easement, or street. This section shall apply to all installations of water and sewer without regard to their status as underground 10 facilities under section 319.015. The violation of this section shall result in a presumption 11 12 of negligence against the individual or company failing to install tracer wire or a similar 13 technology, and violators shall be liable for all damages caused by their failure to act in 14 accordance with this section.

319.035. **1.** Obtaining information as required by sections 319.010 to 319.050 does not excuse any person making any excavation from doing so in a careful and prudent manner.

- 2. Nothing in sections 319.010 to 319.050 shall relieve an excavator from the obligation to excavate in a safe and prudent manner, nor shall it absolve an excavator from liability for damage to underground facilities.
- 3. The failure of any excavator to give notice of proposed excavation activities as required by this chapter shall be a rebuttable presumption of negligence on his or her part in the event that such failure shall cause injury, loss, or damage. In addition to any penalties provided herein, liability under common law may apply.
- 4. The failure of an underground facility owner to mark his or her facilities that are located in an area of excavation described in a notice of intent to excavate received by the underground facility owner, as required by section 319.030, or the failure of an underground facility owner to be a notification center participant, consistent with the provisions of section 319.022, shall be a rebuttable presumption of negligence on the part of such owner in the event that such failure shall cause injury, loss, or damage. In addition to any penalties provided herein, liability under common law may apply.

319.045. 1. [In the event of any damage or dislocation or disturbance of any underground facility in connection with any excavation, the person responsible for the excavation operations shall immediately notify the notification center. This subsection shall be deemed to require reporting of any damage, dislocation, or disturbance to trace wires, encasements, cathode protection, permanent above-ground stakes or other such items utilized for protection of the underground facility.

- 2. In the event of any damage or dislocation or disturbance to any underground facility or any protective devices required to be reported by the excavator under subsection 1 of this section, in advance of or during the excavation work, the person responsible for the excavation operations shall not conceal or attempt to conceal such damage or dislocation or disturbance, nor shall that person attempt or make repairs to the facility unless authorized by the owner or operator of the facility. In the case of sewer lines or facilities, emergency temporary repairs may be made by the excavator after notification without the owners' or operators' authorization to prevent further damage to the facilities. Such emergency repairs shall not relieve the excavator of responsibility to make notification as required by subsection 1 of this section.
  - 3.] Any person who violates in any material respect the provisions of section 319.022, 319.025, 319.026, [319.029,] 319.030, 319.037, or this section or who willfully damages an underground facility shall be liable to the state of Missouri for a civil penalty of up to ten thousand dollars for each violation for each day such violation persists, except that the maximum penalty for violation of the provisions of sections 319.010 to 319.050 shall not exceed five hundred thousand dollars for any related series of violations. An action to recover such civil penalty may be brought by the attorney general or a prosecuting attorney on behalf of the state of Missouri in any appropriate circuit court of this state. Trial thereof shall be before the court, which shall consider the nature, circumstances and gravity of the violation, and with respect to the person found to have committed the violation, the degree of culpability, the absence or existence of prior violations, whether the violation was a willful act, the effect on ability to continue to do business, any good faith in attempting to achieve compliance, ability to pay the penalty, and such other matters as justice may require in determining the amount of penalty imposed.
  - [4.] 2. The attorney general may bring an action in any appropriate circuit court of this state for equitable relief to redress or restrain a violation by any person of any provision of sections 319.010 to 319.050. The court may grant such relief as is necessary or appropriate, including mandatory or prohibitive injunctive relief, temporary or permanent.
  - 3. The attorney general shall make public the aggregate number of enforcement actions for the previously completed calendar year prior to March thirty-first of the current year.

319.046. Parties with a dispute related to the provisions of sections 319.015 to 319.050 may request arbitration for disputes of less than five thousand dollars.

319.050. **1.** The provisions of sections 319.025 and 319.026 shall not apply to any excavation when necessary due to an emergency as defined in section 319.015. An excavation may proceed regarding such emergency, provided all reasonable precautions have been taken to protect the underground facilities. In any such case, the excavator shall give notification,

substantially in compliance with section 319.026, as soon as practical, and upon being notified that an emergency exists, each underground facility owner in the area shall, within two hours after receiving such notice, provide markings or contact the excavator with any information immediately available to assist the excavator and shall inform the excavator if not able to mark within the two hours of when the underground facility will be marked at the site of the emergency.

- 2. For a request submitted as an emergency request that does not meet the definition of an emergency as defined in section 319.015, the facility owner shall notify the excavator within two hours that the request does not meet the requirements of an emergency, and the locate request will be marked within two working days under subsection 1 of section 319.030.
- 3. The excavator may be liable to the owner or operator for costs directly associated with the locating of any such underground facility relating to a notification of an emergency that does not meet the definition of emergency as stated in section 319.015.

[319.016. Notwithstanding any provision of sections 319.010 to 319.050 to the contrary, the state highways and transportation commission shall not be required to be a notification center participant after December 31, 2014, but nothing in this section shall prohibit the commission from voluntarily choosing to be a notification center participant after that date.]

[319.028. 1. On or after January 1, 2003, an owner or operator of underground facilities, who has become a participant in the notification center as required in section 319.022, will maintain participation in the notification center, unless it is determined that the inaccuracy rate of the notification center reaches fifteen percent. The accuracy rate shall be determined by the number of notifications of an excavation, where the owner or operator has no underground facilities at the excavation site, as described in the excavators notification, divided by the total number of notifications to an owner or operator of underground facilities during any twelve-month period.

- 2. Once the notification center has an inaccuracy rate of fifteen percent or higher for any owner or operator of underground facilities, then any such owner or operator may withdraw from participation in the notification center by providing written notice to the notification center of its withdrawal. The owner or operator shall then file with the recorder of deeds for each county it has underground facilities a statement that it has underground facilities and a name and phone number of a contact person that excavators shall contact and notify of its intent to excavate. The owner or operator shall also publish, at least quarterly, in a newspaper or other publication of general circulation in counties that have underground facilities a statement that the owner or operator has underground facilities and who the excavator shall contact regarding its intent to excavate.
- 3. After January 1, 2003, in the event that an owner or operator withdraws from the notification center no party may use in any legal proceeding the fact that an owner

2

3 4

5

2

3

23	or operator has withdrawn from the notification center as evidence to establish
24	negligence, recklessness, lack of adherence to industry standards, or any other manner
25	which would suggest that the owner or operator failed to comply with any standard of
26	care.]
	[319.029. Notwithstanding the fact that a project is a preengineered
2	project or a permitted project, or that a design request was previously made,
3	excavators connected therewith shall be required to give notification in
4	accordance with sections 319.025 and 319.026 prior to commencement of
5	excavation.]

[319.040. The failure of any excavator to give notice of proposed excavation activities as required by this chapter shall be a rebuttable presumption of negligence on his part in the event that such failure shall cause injury, loss or damage. In addition to any penalties provided herein, liability under common law may apply.]

[319.041. Nothing in the foregoing shall relieve an excavator from the obligation to excavate in a safe and prudent manner, nor shall it absolve an excavator from liability for damage to legally installed facilities.]

Section B. This act shall become effective January 1, 2015.

/